

University of Groningen

Preparation and self-assembly of two-length-scale A-b-(B-b-A)(n)-b-B multiblock copolymers

Faber, Martin; Voet, Vincent S. D.; ten Brinke, Gerrit; Loos, Katja

Published in:
Soft Matter

DOI:
[10.1039/c2sm07211d](https://doi.org/10.1039/c2sm07211d)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2012

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Faber, M., Voet, V. S. D., ten Brinke, G., & Loos, K. (2012). Preparation and self-assembly of two-length-scale A-b-(B-b-A)(n)-b-B multiblock copolymers. *Soft Matter*, 8(16), 4479-4485.
<https://doi.org/10.1039/c2sm07211d>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Supporting Information of Manuscript Entitled with

Preparation and self-assembly of two-length-scale A-*b*-(B-*b*-A)_n-*b*-B multiblock copolymers

Martin Faber, Vincent S.D. Voet, Gerrit ten Brinke* and Katja Loos*

Department of Polymer Chemistry, Zernike Institute for Advanced Materials, University of Groningen, Nijenborgh 4, 9747 AG Groningen, The Netherlands.

*Corresponding authors: k.u.loos@rug.nl and g.ten.brinke@rug.nl




Fig. S1 ¹³C-NMR spectra of a multiblock copolymer in acetone-d₆ (a) before and (b) after hydrolysis.




Fig. S2 Possible lamellar self-assembled structures with 1, 3, 5 and 7 thin internal layers, respectively, for an $A-b-(B-b-A)_6-b-B-b-A$ block copolymer consisting of 7 short inner blocks and two long outer blocks.




Fig. S3 Bright-field TEM image of a $S-b-(pHS-b-S)_3-b-pHS$ octablock copolymer, where \overline{M}_n (outer blocks) = 26,000 g·mol⁻¹ and \overline{M}_n (inner blocks) = 8,700 g·mol⁻¹, stained with OsO₄. Scale bar represents 100 nm.